Resource Conservation Council

Facility Conformance Subcommittee

March 17, 2020



Facility Conformance Subcommittee

1. Welcome and Introductions.

- 2. Presentation.
- Stericycle, Inc., Garland, TX
 - Amy Hesseltine, P.E., LNV, Inc. and Al Burson, Stericycle, Inc.






MARCH 2020

NORTH TEXAS COUNCIL OF GOVERNMENTS

RESOURCE CONSERVATION COUNCIL'S FACILITY CONFORMANCE SUBCOMMITTEE



STERICYCLE INC. GARLAND FACILITY GARLAND, TEXAS


ENERAL LOCATION MAP ATTACHMENT 1 $\overline{\mathbf{o}}$

engineers architects surveyors

PH. (361) 883-1984 FAX (361) 883-1986

| DATE: | 01/28/2020 |
|--------------|------------|
| DRAWN BY: | SCG |
| CHECKED BY: | AH |
| APPROVED BY: | AH |
| JOB NO: | 190276 |

| REVISIONS | | | | |
|-----------|-----|-------------|--|--|
| - | - | | | |
| | | | | |
| | | | | |
| | | | | |
| DATE | NO. | DESCRIPTION | | |
| | | | | |







CITY LIMITS



Α

REGISTRATION BOUNDARY

= INDUSTRIAL

SF = SINGLE FAMILY RESIDENTIAL

= MULIT FAMILY RESIDENTIAL

O = OFFICE

= COMMERCIAL

= AGRICULTURAL

S = SCHOOL

P = PARK


= CHURCH

C = DAY CARE

NOTES:

- MAP DERIVED FROM GOOGLE EARTH (IMAGERY DATE: 11/28/2017)
- CITY OF GARLAND ZONING BASED ON CURRENT ZONING MAP AVAILABLE AT https://www.//garlandtx.gov/3316/zoning
- CITY OF DALLAS ZONING BASED ON CITY OF DALLAS ZONING WEBSITE AVAILABLE AT https://lgis.dallascityhall.com/zoningweb/





STERICYCLE INC. GARLAND FACILITY GARLAND, TEXAS

TREF FIRM NO FASE
THE S FIRM NO 1070600

engineers architects surveyors
801 NAVARATOR SUFFE 200
PH. CROSS SSS-1884
FAX (28) 3821-5864
FAX (28) 3821-5865

LAND USE MAP ATTACHMENT (

| DATE: | 01/28/2020 |
|--------------|------------|
| DRAWN BY: | SCG |
| CHECKED BY: | AH |
| APPROVED BY: | AH |
| JOB NO: | 190276 |

| | aa a | REVISIONS | |
|------|----------|-------------|-----------|
| 3 | - | * | |
| | | | _ |
| | \vdash | | _ |
| DATE | NO | DESCRIPTION | \exists |

FA

FACILITY OPERATIONS

- WASTE ACCEPTANCE
 - REGULATED MEDICAL WASTE
 - NON-HAZARDOUS PHARMACEUTICALS
 - CONFIDENTIAL DOCUMENTS
 - CONTROLLED SUBSTANCES/SEIZED DRUGS –
 DEA APPROVAL
 - ANIMAL AND PLANT HEALTH INSPECTION SERVICES (APHIS) REGULATED GARBAGE – USDA APPROVAL
 - PATHOLOGICAL WASTE TRANSFER
 - TRACE CHEMOTHERAPY WASTE TRANSFER

- WASTE STORAGE
 - SECURED TRUCK OR BUILDING
 - REFRIGERATED AFTER 72 HOURS
- WASTE TREATMENT
 - AUTOCLAVE / STEAM STERILIZATION
- CART WASHING
 - CLEAN EMPTY CARTS WITH DETERGENT AND WATER



TYPICAL AUTOCLAVE



TYPICAL BOILER











TYPCIAL MEDICAL WASTE BAGS



TYPICAL CONTAINER

ARRIVAL OF WASTE AT FACILITY INSPECTION OF WASTE AND MANIFEST REJECT AND RETURN WASTE PROMPTLY TO ACCEPTABLE UNLOADING OF WASTE FOR RECEIPT AT (OBSERVED BY TRANSPORTER OR FACILITY (1) GENERATOR OF WASTE TRAINED EMPLOYEE) REFRIGERATION OF TEMPORARY STORAGE ISOLATE YES WAS PROHIBITED IS TRANSPORTER AT WASTE STORED OF UNTREATED PROHIBITED LONGER THAN 72 WASTE DETECTED? FACILITY? WASTE (2) HOURS IDENTIFIED AS DIRECT TRANSPORTER NOTIFY TRANSPORTER DIVERT TO TO REMOVE OR GENERATOR OF REUSABLE SHARPS MEDICAL DEVICE PROHIBITED WASTE WASTE AND DIRECT CONTAINER? RECOVERABLE RECOVERY AREA FROM FACILITY THEM TO PROMPTLY MEDICAL DEVICES IMMEDIATELY REMOVE PROHIBITED WASTE FROM FACILITY NO DIVERT TO SHARPS PROCESSING OF CONSOLIDATION WASTE (3) NOTES: (1) ACCEPTABLE WASTE FOR THIS FACILITY ARE MEDICAL WASTE, NON-HAZARDOUS AND OUTDATED/OFF SPECIFICATION PHARMACEUTICALS, SEIZED DRUGS, ANIMAL AND PLANT TEMPORARY STORAGE HEALTH INSPECTION SERVICES (APHIS) WASTE, CONFIDENTIAL DOCUMENTS AND OF TREATED WASTE SOURCE SEPERATED RECYCLEABLES. (2) UNTREATED WASTE WILL BE STORED INSIDE THE BUILDING OR IN LOCKED TRANSPORT VEHECLES. TRANSPORTATION OF (3) WASTE WILL BE TREATED AT THIS FACILITY BY STEAM STERILIZATION. TREATED WASTE TO AN APPROVED TCEQ MUNICIPAL SOLID (4) TREATED WASTE WILL BE STORED IN ROLL-OFF CONTAINERS EITHER INSIDE THE WASTE LANDFILL BUILDING OR WITH COVERS OUTSIDE THE BUILDING.



STERICYCLE INC. GARLAND FACILITY GARLAND, TEXAS FLOW DIAGRAM ATTACHMENT 6

engineers architects surveyors

190276

DATE: 01/28/2020 DRAWN BY: SCG CHECKED BY AH APPROVED BY AH

UPDATE NOTES ADDED MEDICAL DEVICE RECOVE DATE NO. DESCRIPTION



Facility Conformance Subcommittee

Action Item

3. The subcommittee will discuss the application for Stericycle – Garland and vote on a conformance recommendation.



Facility Conformance Subcommittee

Action Item

4. The subcommittee will accept nominations and then vote to appoint a Vice-Chair of the Facility Conformance Subcommittee.

5. Adjournment

